Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	("6272577" "6405286" "5864712"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 18:35
L2	0	1 and ((target$3 destination source) with (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 18:35
L9	36316	((plural$3 several multipl$5) near3 (target$3 destination source)) with (device module storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:28
L10	9900	((plural$3 or multipl$5) near5 device with (execut$3 or read$3 or writ$3 or stor$3 or access$3)) same (concurrent$2 or simultaneous$3 or synchron$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 18:42
L11	659	L10 and (((plural$3 several multipl$5) near3 (target$3 destination source)) with (device module storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 18:43
L12	0	11 and (((send$3 transmit$4 writ$3 stor$3) near5 (multicast$3 multi-cast$3)) with (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 18:55
L13	0	11 and (((send$3 transmit$4 writ$3 stor$3) near5 (multicast$3 multi-cast$3)) same (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 18:47
L14	0	11 and (((send$3 transmit$4 writ$3 stor$3) with (multicast$3 multi-cast$3)) same (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 18:54

L15	1	9 and (((send$3 transmit$4 writ$3 stor$3) near5 (multicast$3 multi-cast$3)) with (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:14
L16	2	9 and (((send$3 transmit$4 writ$3 stor$3) with (multicast$3 multi-cast$3)) same (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 18:59
L17	0	16 and ($3interleav$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:00
L18	7	9 and (((multicast$3 multi-cast$3)) same (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:01
L19	0	18 and ($3interleav$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:00
L20	1932296	((divid$3 interleav$3 partition$3 separat$3) with ((plural$3 several multipl$5) (region section block partition segment)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:07
L21	43723	L20 same controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:07
L22	3888	L21 same ((plural$3 several multipl$5) near3 (device module bank memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:07

L23	416	L22 same ((associat$3 correspond$3) with (memory region block partition portion section))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:07
L24	37	L23 same ((simultaneous$2 concurrent$2) with (access$3 read$3 writ$3 stor$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:07
L25	1	1 and L24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:15
L26	0	25 and (((send$3 transmit$4 writ$3 stor$3) near5 (multicast$3 multi-cast$3)) with (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:16
L27	42	1 L24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:15
L28	0	25 and (((send$3 transmit$4 writ$3 stor$3) with (multicast$3 multi-cast$3)) with (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:16
L29	0	25 and (((send$3 transmit$4 writ$3 stor$3) with (multicast$3 multi-cast$3)) same (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:19
L30	0	25 and (((multicast$3 multi-cast$3)) same (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:18

L31	138	((multip$5 or plural$3) near5 device) same ((interleav$3 with (read/write or read$3 or writ$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:18
L32	1239955	(associat$3 or match$3 or compar$3) with (portion or partition or section or block or part or sector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:18
L33	28531	request$3 near5 detect$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:18
L34	14977	L32 with configur$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:18
L35	1488	((access$3 near5 (portion or partition or block or section)) with (associat$3 or match$3 or compar$3)) same request$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:18
L36	1266864	L31 L32 L33 L34 L35 L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:18
L37	12	36 and (((send$3 transmit$4 writ$3 stor$3) with (multicast$3 multi-cast$3)) same (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:20
L38	6	36 and (((send$3 transmit$4 writ$3 stor$3) with (multicast$3 multi-cast$3)) with (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:24

L39	11	36 and (((send$3 transmit$4 writ$3 stor$3) with (broadcast$3 multicast$3 multi-cast$3)) with (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:26
L40	5	39 not 38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:26
L41	1	((plural$3 several multipl$5) near3 (target$3 destination source)) with ((single one unique$3) near3 (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:30
L42	1	((plural$3 several multipl$5) near3 (target$3 destination source)) with ((single one unique$3 each) near5 (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:31
L43	16	((plural$3 several multipl$5) near3 (target$3 destination source)) with (base adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:40
L44	0	1 and (((plural$3 several multipl$5) near3 (target$3 destination source)) with (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:40
L45	0	1 and (((send$3 transmit$4 writ$3 stor$3) with (multicast$3 multi-cast$3)) same (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:41
L46	0	1 and ((broadcast$3 multicast$3 multi-cast$3) same (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:41

L47	1	1 and ((broadcast$3 multicast$3 multi-cast$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:43
L48	1	47 and (base adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:42
L49	106	((broadcast$3 multicast$3 multi-cast$3)) same (base adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:43
L50	2	((broadcast$3 multicast$3 multi-cast$3)) same ((single unique one distinct$5 unshar$3) near3 (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:47
L51	2	((broadcast$3 multicast$3 multi-cast$3)) same ((single unique one distinct$5 unshar$3) near5 (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:47
L52	9	49 and ((single unique one distinct$5 unshar$3) near5 (base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:49
L53	106	49 and ((base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:49
L54	106	49 same ((base adj address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 19:50

L55	13	54 and ($3interleav$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 20:06
L56	5	(target destination) with (multicast$3 multi-cast$3 broadcast$3) with (base adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 20:11
L57	25	(target destination) same (multicast$3 multi-cast$3 broadcast$3) same (base adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 20:13
L58	3	57 and interleav$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/16 20:12